

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11896	(370/252,389).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/11/12 12:57
L4	0	redunc\$4 same peer and ("I1" or "I3") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/12 12:58
S1	12428	(709/218,219,224,235).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:17
S2	8	((("20020184310") or ("20030055892") or ("20020119821") or ("20010044339"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:23
S3	2	("6829634").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:24
S4	79	("peer to peer" or P2P) same reduncan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:27
S5	5	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:25
S6	47	("peer to peer" or P2P) same reduncan\$4 and (send\$4 or reciec\$4) same (identical or similar) same (message or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:25

S7	1	redunc\$4 same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:34
S8	24687	(Internet or online) same gam\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:43
S9	38	(Internet or online) same gam\$4 same ("peer to peer" or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:46
S10	14	(Internet or online) same gam\$4 same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:24
S11	43	("peer to peer" or P2P) same redundan\$4 and (send\$4 or transmit\$4 or reciec\$4) same (identical or similar) same (message or information) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S12	1326	(compar\$4) same (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:44
S13	20	(compar\$4) with (many or multiple or several) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47
S14	20	S13 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:45
S15	707	(compar\$4) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47

S16	407	((compar\$4) with (message or "data packet" or packet)).ab.ti. and redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S17	313	((compar\$4) with (message or "data packet" or packet) with redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S18	5	((compar\$4) with (message or "data packet" or packet) with redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09
S19	8	((compar\$4) with (message or "data packet" or packet) same redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50
S20	3	S19 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50
S21	9	("4872003"   "5548819"   "5610905"   "5966431"   "6304569"   "6473425"   "6493343"   "6507562").PN. OR ("6891801").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/10 08:55
S22	2	("7194654").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:58
S23	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:07
S24	306	((broad\$cast\$4) with (message or data) with redunda\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09

S25	78	((broad\$cast\$4) with (message or data) with redunda\$4).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S26	78	S25 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09
S27	0	S25 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S28	12853	(709/218,219,224,235).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S29	0	S25 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S30	2	((broad\$cast\$4) with (message or data) with redunda\$4).ab.ti. and (peer\$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S31	14	((broad\$cast\$4) with (message or data) with redunda\$4) and (peer \$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06
S32	12	S31 not S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S33	6	("peer to peer" or P2P) same (compar\$4) with (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:26

S34	153734	{compar\$4} near2 (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S35	52171	{compar\$4} near2 (message or packet or data).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S36	93510	{compar\$4 or determin\$4} near2 (message or packet or data).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S37	54777	{compar\$4 or determin\$4} adj2 (message or packet or data).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S38	4	{compar\$4 or determin\$4} adj2 (message or packet or data).ab.ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S39	1	{compar\$4} adj2 (message or packet or data).ab.ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:39
S40	43	{compar\$4} adj2 (message or packet or data) and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29
S41	43	S40 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29
S42	4121	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34

S43	1	(redunda\$4 with message same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S44	12	(redunda\$4 with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45
S45	13	(redunda\$4 or un\$want\$4 or repetiti44) with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40
S46	1	S45 not S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40
S47	15	(peer\$to\$peer or P2P) same (compar\$4) with (ID) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09
S48	21	(peer\$to\$peer or P2P) same (compar\$4) with (ID or identification ) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:32
S49	33	(peer\$to\$peer or P2P) same (relay \$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:37
S50	8028	(compar\$4) adj (ID or identification or identity or IP) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40
S51	7494	(compar\$4) adj (ID or identification or identity) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40

S52	34	(compar\$4) adj (ID or identification or identity) adj2 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S53	33	S52 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S54	4122	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45
S55	579508	redunda\$4 adj3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:45
S56	1288	redunda\$4 adj3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:35
S57	55	redunda\$4 adj3 message with compar\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S58	91	S57 no9t S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S59	54	S57 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S60	1735	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:36

S61	3	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (P2P or peer \$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39
S62	101	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and (P2P or peer \$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39
S63	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab.ti. and (P2P or peer \$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S64	115	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05
S65	46	((redunda\$4 or duplicate or "same") adj (ID or identification) same message).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 04:38
S66	46	S65 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S67	13	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same compar\$4).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S68	151	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05
S69	82	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06



S70	10	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S71	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S72	49	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10
S73	1938	(message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10
S74	675	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S75	2	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S76	86	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:12
S77	0	((redunda\$4 or duplicate or "same") with message with (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:51
S78	38	((redunda\$4 or duplicate or "same") with message and (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:15

S79	69	((send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:19
S80	31	S79 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:16
S81	1	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:20
S82	9	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S83	97	((send\$4 or transmit\$4) with (updat\$4) with (connection) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:25
S84	88	S83 not S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S85	88	S84 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S86	27	updat\$4 with (p2p or peer\$5peer or peer) adj3 message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27
S87	5	updat\$4 with (p2p or peer\$5peer or peer) adj3 message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27

S88	22874	{(multiple or many) with "same" with connection and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52
S89	23	{(multiple or many) with "same" with connection with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:53
S90	2	{(multiple or many) with "same" with connection with updat\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52
S91	0	{("peer to peer" or P2P) same (message or identification) with (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43
S92	0	{("peer to peer" or P2P) same (message or identification) same (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43
S93	0	{("peer to peer" or P2P) same (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:44
S94	1	{("peer to peer" or P2P) and (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:49
S95	668	{(reduc\$4) with (duplicat\$4 or "same") with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:40
S96	1	{(reduc\$4) with (duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50

S97	193	{(duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S98	61	{(duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:51
S99	2	broadcast\$4 same (duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S100	313	{{(broad\$cast\$4) with (message or data) with redunda\$4) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06
S101	79	{{(broad\$cast\$4) with (message or data) with redunda\$4).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:07
S102	19	{{(broad\$cast\$4) with (message) with redunda\$4).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S103	546	{{(message) with redunda\$4).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S104	6	{{(message) with redunda\$4 with list).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S105	32	{{(message) with redunda\$4 with list)and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10

S106	26	S105 not S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:11
S107	18	((message) with redunda\$4 with list) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10
S108	39	((reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:01
S109	12	((reduc\$4) with (duplicat\$4 or "same") with message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56
S110	2	("6899628").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56
S111	24	((reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S112	992	("p2p" or (peer adj2 peer)) with messag\$4 and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S113	1592	("p2p" or (peer adj2 peer)) with messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S114	732	("p2p" or (peer adj2 peer)) near2 messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04

S115	4	("p2p" or (peer adj2 peer)) near2 messag\$4 same (send\$4 or transmit\$4) with (message) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:11
S116	7	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:15
S117	6	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17
S118	188	("p2p" or (peer adj2 peer)) and (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17
S119	25	("p2p" or (peer adj2 peer)) same (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:21
S120	17	("p2p" or (peer adj2 peer)) same (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:33
S121	1	("p2p" or (peer adj2 peer)) and (duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:34
S122	15	(duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:35
S123	3	(duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:42

S124	2573	{determin\$4} with (duplicate or "same" or identical) with (message or request) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:43
S125	345	{determin\$4} with (duplicate or "same" or identical) with (message or request) same (table or list) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:09
S126	737	{determin\$4} with (duplicate or "same" or identical) with (message or request) same (table or list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:44
S127	131	{determin\$4} with (duplicate or identical) with (message or request) same (table or list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:44
S128	305	S125 not S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:08
S129	30	{determin\$4} with (duplicate or "same" or identical) with (message or request) same (table or list) and ("p2P" or (peer near2 peer)) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:10
S130	63	message near3 source with origin and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:12
S131	0	("do not") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S132	0	("do not") same (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17

S133	524	("do not" or "don't") same (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S134	174	("do not" or "don't") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S135	2	("do not" or "don't") with (send\$4 or transmit\$4) with message with update and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S136	0	("do not" or "don't") with (send\$4 or transmit\$4) with message same ("p2p" or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:18
S137	0	("do not" or "don't") with (send\$4 or transmit\$4) with message and ("p2p" or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:19
S138	20	(redunda\$4 or un\$want\$4 or repetiti\$4) with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:57
S139	0	("peer to peer" or P2P) same message same origin and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:58
S140	10	("peer to peer" or P2P) same origin and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:58
S141	160	origin with field same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:00



S142	12	source with origin with field same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:01
S143	13	source with origin with field same message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:05
S144	1	S143 not S142	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:05
S145	5	abort near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:06
S146	11	(abort or cancel\$4) near3 updat \$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:06
S147	1	("do not" or "don't") near3 updat \$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:09
S148	10	("do not" or "don't") with updat\$4 with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:09
S149	1	redunda\$4 with message same ("peer to peer" or P2P) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:12
S150	2	(redunda\$4 or updat\$4) with message same ("peer to peer" or P2P) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:13

S151	87	topolog\$4 near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:14
S152	0	("don't" or "do not") with (send\$4 or transmit\$4) with topolog\$4 near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:28
S153	1080	("don't" or "do not") with (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29
S154	174	("don't" or "do not") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29
S155	9	("don't" or "do not") near2 (send\$4 or transmit\$4) near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29
S156	259	("don't" or "do not" or abort\$4) near2 (send\$4 or transmit\$4) near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:33
S157	0	("don't" or "do not" or abort\$4) near2 (send\$4 or transmit\$4) near2 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:34
S158	46	list near3 (peer or node) with updat\$4 near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:08
S159	2	("20030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:14

S160	6	("do not" or "don't") adj3 (send\$4 or transmit\$4) adj2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:19
S161	2	("20050086350").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:44
S162	1137	(identify\$4) with "same" with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:50
S163	40	(identify\$4) adj2 "same" adj2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:50
S164	0	(identify\$4) adj2 "same" adj2 message and (p2p or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:51
S165	539	alternate near3 path same messag \$4 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:54
S166	9	alternate near3 path same messag \$4 and ("peer to peer" or p2p) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:55
S167	11	(alternate or different or secondary) near3 path same messag\$4 and ("peer to peer" or p2p) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:56
S168	2	S167 not S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:56

SI169	5004	(redunda\$4 with message and (@ad<="20031020" or @rlad<="20031020"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
SI170	99	(redunda\$4 with message with updat\$4 and (@ad<="20031020" or @rlad<="20031020"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
SI171	8	(redunda\$4 with message with updat\$4).ab.ti. and (@ad<="20031020" or @rlad<="20031020"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
SI172	17	(redunda\$4 adj2 message with updat\$4) and (@ad<="20031020" or @rlad<="20031020"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:05
SI173	15	SI172 not SI171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:05
SI174	0	("200030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:07
SI175	2	("20030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:08
SI176	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:14
SI177	293	compar\$4 with message with (ID or identification) same "same" and (@ad<="20031020" or @rlad<="20031020"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 12:59
SI178	109	compar\$4 with message with (ID or identification) with "same" and (@ad<="20031020" or @rlad<="20031020"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 12:59

S179	17	{(compar\$4 with message with (ID or identification) with "same").ab, ti. and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:00
S180	176	{(send\$4 or transmit\$4) with message with (different or alternate) near3 path and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:07
S181	21	{((send\$4 or transmit\$4) with message with (different or alternate) near3 path).ab,ti. and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:08
S182	0	{(send\$4 or transmit\$4) with message with (different or alternate) near3 path same "do not" near4 (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11
S183	0	{(send\$4 or transmit\$4) with message with (different or alternate) near3 path and "do not" near4 (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11
S184	3	{(send\$4 or transmit\$4) with message with (different or alternate) near3 path same peer and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11
S185	73	{(p2p or "peer to peer") near3 message\$4 and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:15
S186	0	{(p2p or "peer to peer") near3 message\$4 same identifi\$4 with (origin or source) and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:16
S187	8	{((p2p or "peer to peer") near3 message\$4).ab,ti. and (@ad<="20031020" or @rlad<="20031020")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:16

S188	8	{(p2p or "peer to peer") near3 messag\$4 same (duplicate or "same") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:18
S189	14	{(p2p or "peer to peer") near3 messag\$4 and (duplicate or "same") near3 message and {@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:19
S190	388	{("6888937") or ("6910148") or ("6915444") or ("20020023117") or ("20030023892") or ("20050086350") or ("20060120366") or ("20080267208") or ("7042876") or ("7315512") or ("7515551") or ("20030051203") or ("20050105695") or ("20050265346") or ("20060159082") or ("20080077667") or ("20080154904") or ("20080155212") or ("20080168176") or ("6396170") or ("6671253") or ("7093160") or ("7174476") or ("20030046604") or ("20030097481") or ("20040216012") or ("20060031378") or ("20060177061") or ("20070043733") or ("20070179993") or ("20080313279") or ("20090070571") or ("4354229") or ("4918728") or ("5224205") or ("5485579") or ("5491791") or ("5502724") or ("5550976") or ("5581461") or ("5642350") or ("5657440") or ("5913028") or ("5924094") or ("6002751") or ("6029171") or ("6032175") or ("6061734") or ("6061794") or ("6065037") or ("6128647") or ("6128690") or ("6148383") or ("6181707") or ("6202094") or ("6250930") or ("6321347") or ("6370656") or ("6385643") or ("6405104") or ("6408328") or ("6421678") or ("6434158") or ("6462652") or ("6467085") or ("6469629") or ("6487167") or ("6496694") or ("6530841") or ("6556569") or ("6574665") or ("6574753") or ("6622147") or ("6636505") or ("6658485") or ("6671367") or ("6674725") or ("6691172") or ("6701214") or	US-PGPUB; USPAT; USOCR; FFRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:19

("6721898") or ("6731926") or  
("6745027") or ("6754484") or  
("6765925") or ("6772215") or  
("6807165") or ("6865157") or  
("6865599") or ("6873839") or  
("6886096") or ("6920144") or  
("6928442") or ("6941555") or  
("6954792") or ("6955918") or  
("6987839") or ("6993651") or  
("6996398") or ("7020796") or  
("7031798") or ("7050799") or  
("7053764") or ("7110366") or  
("7113987") or ("7117264") or  
("7136927") or ("7142644") or  
("7145892") or ("7154901") or  
("7167920") or ("7167979") or  
("7180864") or ("7188145") or  
("7191224") or ("7197565") or  
("7206862") or ("7212492") or  
("7249165") or ("7263560") or  
("7263614") or ("7269133") or  
("7269698") or ("7272636") or  
("7277948") or ("7283467") or  
("7286468") or ("7286841") or  
("7302512") or ("7304973") or  
("7308688") or ("7315890") or  
("7350014") or ("7363053") or  
("7363431") or ("7363534") or  
("7369867") or ("7370336") or  
("7386459") or ("7401153") or  
("7430616") or ("7434220") or  
("7437419") or ("7453876") or  
("7463579"),.PN. or (("7463592")  
or ("7467190") or ("7472193") or  
("7475142") or ("7480638") or  
("7496602") or ("7502806") or  
("7512943") or ("7516182") or  
("7529230") or ("7533172") or  
("7533389") or ("7536467") or  
("7543030") or ("7543034") or  
("7543070") or ("7552217") or  
("7552355") or ("7555555") or  
("7562151") or ("20010005883")  
or ("20010011215") or  
("20010031454") or  
("20010053694") or  
("20020019825") or  
("20020049760") or  
("20020069218") or  
("20020080750") or  
("20020085526") or  
("20020089945") or  
("20020090949") or  
("20020091826") or  
("20020107934") or  
("20020114004") or  
("20020119770") or  
("20020119821") or  
("20020124081") or  
("20020131427") or  
("20020143855") or

		("20020143944") or ("20020147771") or ("20020147810") or ("20020150075") or ("20020152299") or ("20020154009") or ("20020156875") or ("20020164974") or ("20020165627") or ("20020165976") or ("20020167908") or ("20020169888") or ("20020184311") or ("20020184358") or ("20020184487") or ("20020188657") or ("20020198055").PN.				
S191	318	S190 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:20
S192	0	reduant\$4 and S190 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
S193	49	(reduant\$4 or duplicat\$4) and S190 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
S194	49	(reduant\$4 or duplicat\$4) and S190 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
S195	31	(reduant\$4 or duplicat\$4) same message and S190 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
S196	27	(reduant\$4 or duplicat\$4) with message and S190 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21

## EAST Search History (Interference)



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12101	(709/218,219,224,235).CCLS.	USPAT; UPAD	OR	OFF	2009/11/12 12:53
L3	6123	(370/252,389).CCLS.	USPAT; UPAD	OR	OFF	2009/11/12 12:57
L5	0	redunc\$4 same peer and ("I1" or "I3") and (@ad<="20031020" or @rlad<="20031020")	USPAT; UPAD	OR	OFF	2009/11/12 12:58
L6	0	redunc\$4 same peer and (@ad<="20031020" or @rlad<="20031020")	USPAT; UPAD	OR	OFF	2009/11/12 12:58
L7	0	redundan44 same peer and (@ad<="20031020" or @rlad<="20031020")	USPAT; UPAD	OR	OFF	2009/11/12 12:58
L8	379	redundan\$4 same peer and (@ad<="20031020" or @rlad<="20031020")	USPAT; UPAD	OR	OFF	2009/11/12 12:58
L9	49	redundan\$4 same peer and (I1 or I3) and (@ad<="20031020" or @rlad<="20031020")	USPAT; UPAD	OR	OFF	2009/11/12 12:59
L10	8	redundan\$4 same ("peer to peer" or P2P) and (I1 or I3) and (@ad<="20031020" or @rlad<="20031020")	USPAT; UPAD	OR	OFF	2009/11/12 12:59
L11	13706	(709/218,219,224,230,235).CCLS.	USPAT; UPAD	OR	OFF	2009/11/12 13:05
L12	8	redundan\$4 same ("peer to peer" or P2P) and (I10 or I3) and (@ad<="20031020" or @rlad<="20031020")	USPAT; UPAD	OR	OFF	2009/11/12 13:06

11/12/2009 1:38:16 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10701014\_p2p\_same\_message.wsp